1973-1977 NCRS PERFORMANCE VERIFICATION TEST

| Own | er: | | Membership #: _ | Dat | e: | | |
|--|---------|--|------------------------|-------------------------|----------------|--|--|
| Address: | | | | | | | |
| City: | | | State: | Zip: | | | |
| Loca | tion of | Meet: | | ☐ Driven | ☐ Trailered | | |
| Model Year: VIN: | | | _ Color: | Н.Р | | | |
| Insurance Company: | | | _ Policy # | Expi | res: | | |
| Important: Prior to beginning test, owner and judge review Judging Reference Manual for test prerequisites and requirements including: Expected component function, seat belt use, engine RPM requirement, single malfunction repair and failure. Conduct test in order listed, circling each pass. Note specific reason for test failure. Conduct test in same legal manner. • Verifier is to score by circling "Pass" or "Fail" at left-hand column; one failure terminates test. | | | | | | | |
| | | PRETEST: | | | | | |
| Yes | No | Owner, Flight Award, VIN Plate, Drivers Li Alterations | cense, Liability Insur | ance, Registration, Lie | cense Plate(s) | | |
| Pass | Fail | Top In Place | | | | | |
| Pass | Fail | Tires GR70-15 or P225/70R15 | | | | | |
| Pass | Fail | Wheels & Wheel Covers | | | | | |
| Pass | Fail | | | | | | |
| 1 433 | 1 an | PERFORMANCE VERIFICATION | RECING NOW | | | | |
| (TD | F '' | | | | | | |
| Pass | Fail | Preliminary Evaluation: Trim Tag Engine St | tamp Pad, Smog Equi | pment, Transmission | and | | |
| | | Carburetor | | | | | |
| | | PRESTART CHECKS | | | | | |
| Pass | Fail | Exterior Door Handles | | | | | |
| Pass | Fail | Door Hold Open Springs | | | | | |
| Pass | Fail | Outside/Standard Mirror/Sport Mirrors (197 | 77 only) | | | | |
| Pass | Fail | Side Window Operation | | | | | |
| Pass | Fail | Inside Door Locks & Door Handle Open & | Latch Function | | | | |
| Pass | Fail | Keys Square And Oval Headed | | | | | |
| Pass | | Lock Key and Keyway Codes | | | | | |
| Pass | Fail | Ignition Key Operation | | | | | |
| Pass | Fail | Outside Door Lock Function | | | | | |
| Pass | Fail | Anti-Theft Alarm | | | | | |
| Pass | Fail | Hood Release & Latching Functions | | | | | |
| Pass | Fail | Under Hood Lamp 1977 | | | | | |
| Pass | Fail | Hood Hinge & Support | | | | | |
| Pass | Fail | Horn(s) | | | | | |
| Pass | Fail | Fluid Level Check (Brake Fluid, Oil, Coolar | nt, and Automatic Tra | nsmission Fluid) | | | |
| Pass | Fail | Fan & Fan Clutch Check | | | | | |
| Pass | Fail | Cold Engine Check | | | | | |
| Pass | Fail | Choke Setting Check | | | | | |
| Pass | Fail | Hood Induction System (*1973-1975 only) | 7 | | | | |
| Pass | Fail | Seat Belt Lamp & Alarm Function Check | 0.55 | | | | |
| Pass | Fail | Seat Belt Ignition Interlock 1974 and early 1 | | | | | |
| Pass | Fail | Automatic Transmission Starter Safety Swit | ch | | | | |
| Pass | Fail | Manual Transmission Starter Interlock | | | | | |

1973-1977 NCRS PERFORMANCE VERIFICATION TEST

| | | COLD ENGINE START & IDLE: START ENGINE | |
|-------|-------|--|--|
| Pass | Fail | Starter Motor (No excessive cranking or starter drag) | |
| Pass | Fail | Choke Operation & Fast Idle | |
| Pass | Fail | Transmission Control Spark (TCS) Check | |
| Pass | Fail | Engine Belt Squeal | |
| Pass | Fail | Exhaust System (Check for Leaks or Excessive Noise Exhaust from Both Exhaust Pipes) | |
| Pass | Fail | Normal Idle (Check for exhaust smoke and noisy valve lifters) | |
| | | INTERIOR & EXTERIOR | |
| Pass | Fail | Windshield Washers 1973-1976 | |
| Pass | Fail | Windshield Washers 1977 | |
| Pass | Fail | Windshield Wipers 1973-1976 (Two Speeds and Travel) | |
| Pass | Fail | Windshield Wipers 1977 (Two Speeds and Travel) | |
| Pass | Fail | Idle Stop/Speed Solenoid | |
| | | STOP ENGINE NOW | |
| Pass | Fail | Clock Note time of day | |
| Pass | Fail | Map Pockets | |
| Pass | Fail | Cigarette Lighter Function (Red Glow Automatic Pop Up but not Out of Fixture) | |
| Pass | Fail | Cigarette Lighter Lamp Inside Console 1973-1976 Moved to Dash above Gauges in 1977 | |
| Pass | Fail | Ash Tray and Ash Tray Door Function | |
| Pass | Fail | Ignition Key Buzzer | |
| Pass | Fail | Ignition Switch Interlock | |
| Pass | Fail | Tilt-Telescopic Steering Column (if so equipped) | |
| Pass | Fail | Horn Button | |
| Pass | Fail | Day/Night Mirror | |
| Pass | Fail | Map Light Optional | |
| Pass | Fail | | |
| Pass | Fail | Roof Panel Storage Bags & Panel Storage Straps | |
| Pass | Fail | Rear Compartment Lamp & Courtesy Lamps | |
| Pass | Fail | Seat & Shoulder Belts (Retracting, Locking, Weight Detectors 1974 only and Comfort Clips) | |
| Pass | Fail | Seat Adjusters Tracking, Locking and Movement | |
| Pass | Fail | Seat Back Latches Release and Locking | |
| Pass | Fail | Center Compartment Lamp | |
| Pass | Fail | Rear Storage Compartment Latch, Lock and Key Function | |
| Pass | Fail | Jack, Handle & Lug Wrench Tool | |
| Pass | Fail | Fuel Filler Door Spring Loaded Hold Open and Closed | |
| Pass | Fail | Spare Tire Carrier | |
| Pass | Fail | Spare Tire Carrier Lock | |
| Pass | Fail | Spare Tire Carrier Lamp (Option 1977 Only) | |
| Lass | 1 411 | RESTART ENGINE | |
| Pass | Fail | Driving Lamps & Accessories | |
| Pass | Fail | Headlamp Doors | |
| Pass | Fail | Headlamps Low Beam | |
| Pass | Fail | Headlamps High Beam | |
| Pass | Fail | Front Parking Lamps | |
| Pass | Fail | Side Marker/Turn Signal Coordination (Left and Right Front side marker flashes w/ turn signal) | |
| Pass | Fail | Emergency Hazard Flashers (Front Side Markers Flash Opposite Parking Lamps) | |
| Pass | Fail | Brake Lights | |
| Pass | Fail | Tail & License Lamps | |
| Pass | Fail | Back-up Lights | |
| Pass | Fail | Headlight Door Override | |
| r ass | 1 an | | |
| | | Cover Windshield and Windows | |
| | | INSTRUMENT PANEL GUAGES, WARNING LIGHTS, RADIO & CLOCK | |
| _ | | ILLUMINATION | |
| Pass | Fail | Headlamp High Beam Indicator (Blue) | |
| Pass | Fail | Brake Warning Light (Red) | |

1973-1977 NCRS PERFORMANCE VERIFICATION TEST

| Pass | Fail | Headlamp & Door Ajar Warning Lamps (Excluding 1977 Models) |
|--------------|--------------|--|
| Pass | Fail | Headlamp Warning Buzzer Optional 1975-77 (Key Off Headlamps On) |
| Pass | Fail | Generator & Low Fuel Warning Lamps (Fuel Lamp Warning only if less than Two Gallons Fuel) |
| Pass | Fail | Seat Belt Warning Lamp |
| Pass | Fail | Turn Signal Pilot Indicators (Green) |
| Pass | Fail | Console and Dash Illumination (Gauges should Illuminate when Parking/Headlamps are on, Turning |
| ъ | г и | Light Switch Controls Brightness, Full Counter-Clockwise Activates Courtesy Lamps) |
| Pass | Fail | Parking Brake Lever Operation Only Check Function on Road Test |
| | | Remove Window Cover |
| _ | | RADIO (Full Credit if the car is a genuine radio delete) |
| Pass | Fail | Radio Volume & Tone Controls (Check with Engine Running) |
| Pass | Fail | Radio Tuning include Push Button Reset |
| Pass | Fail | Radio Stereo Reception Indicator & Speaker Balance Control |
| Pass | Fail | Radio Stereo 8-Track Player Option 1977 Only |
| D | E-11 | HEATER, VENTILATION & AIR CONDITIONING SYSTEM 1973-1976 |
| Pass Pass | Fail | Heater Fan Speeds Heater/AC Temperature Thursh Wheel Control |
| | Fail Fail | Heater/AC Temperature Thumb Wheel Control Air/De-Ice Thumb Wheel Control (non-AC) |
| Pass | ган | HEATER, VENTILATION & AIR CONDITIONING SYSTEM 1977 |
| Dana | E-21 | |
| Pass Pass | Fail Fail | Heater Fan Speed Heater/AC Temperature Control |
| Pass | Fail | Air Conditioning System (if so equipped) |
| 1 433 | 1 411 | REAR WINDOW DEFOGGER/DEFROSTER |
| Pass | Fail | Rear Window Defogger 1973 Through 1975 |
| Pass | Fail | Rear Window Defogger 1973 Through 1973 Rear Window Defroster 1976 Through 1977 |
| Lass | | COOLANT, FUEL, BRAKE OR OIL LEAKS |
| Pass | Fail | Coolant Leaks |
| Pass | Fail | Fuel Leaks |
| Pass | Fail | Oil Leaks (Engine and Transmission) |
| Pass | Fail | Brake Fluid Leaks (Master Cylinder and Calipers) |
| Pass | Fail | Power Steering Fluid (Pump and Slave Cylinder) |
| | | ROAD TEST |
| Pass | Fail | Car Stance |
| Pass | Fail | Trip Odometer Set at Zero for Test |
| Pass | Fail | Odometer Note Mileage |
| Pass | Fail | Acceleration |
| Pass | Fail | Tachometer Red Line Matches Engine Horsepower |
| Pass | Fail | Deceleration |
| Pass | Fail | Cruise Control 1977 |
| ъ | Б.11 | INSTRUMENTATION |
| Pass | Fail | Speedometer |
| Pass Pass | Fail Fail | Tachometer Oil Pressure (0,35,70 in 1973) (0,40,80 in 1974-77) |
| Pass | Fail | Engine Coolant Temperature (100,210,250 all years) |
| Pass | Fail | Battery Ammeter (1973-1976) (-40,0,+40) |
| Pass | Fail | Battery Voltmeter (1977) (8,12,16) (should exceed 10 volts during operation) |
| Pass | Fail | Fuel Gauge |
| Pass | Fail | Turn Signal Function |
| Pass | Fail | Turn Signal Cancel |
| Pass | Fail | Turn Signal Lane Change |
| Pass | Fail | Sunshades (Move and Hold Position) |
| Pass | Fail | Mirrors (Both Inside and Outside Move and Hold Position) |
| Pass | Fail | Cowl Plenum Vents (1973-early 75 Astro-Ventilation Check Rear Deck Exhaust Doors) |

1973-1977 NCRS PERFORMANCE VERIFICATION TEST_

| | | MANITAL TO ANOMICCION |
|--------------|-------|--|
| Dogg | Fail | MANUAL TRANSMISSION Excessive Noise |
| Pass Pass | Fail | |
| Pass | Fail | Gear Engagement Upshift & Downshift Operations |
| Pass | Fail | Clutch Action |
| Pass | Fail | Clutch Spin Down Time |
| Pass | Fail | Clutch Pedal Adjustment |
| Pass | Fail | Acceleration & Deceleration |
| Pass | Fail | Reverse Gear |
| 1 ass | 1 411 | AUTOMATIC TRANSMISSION |
| Pass | Fail | Shift Lever Detent Button |
| Pass | Fail | Gear Engagement & Shifting |
| Pass | Fail | Manual Shifting |
| Pass | Fail | Torque Converter Slippage |
| Pass | Fail | Throttle Acceleration Kickdown |
| Pass | Fail | Reverse Gear |
| | | REAR AXLE |
| Pass | Fail | Wheel Bearing & Differential Noise |
| Pass | Fail | Universal Joint Noise & Driveshaft Vibration |
| Pass | Fail | Chatter of Positraction |
| 2 435 | | BRAKES |
| Pass | Fail | Squeal & Rotor Pulsation |
| Pass | Fail | Pull to the Right or Left |
| Pass | Fail | Brake Pedal Travel |
| Pass | Fail | Power Brake Function |
| 2 435 | | STEERING & HANDLING |
| Pass | Fail | Steering Wheel Centering |
| Pass | Fail | Tracking Ability |
| Pass | Fail | Left & Right Turns |
| Pass | Fail | Excessive Steering Free Play or Shimmy |
| Pass | Fail | Wheel Balance |
| 7 | | GENERAL PERFORMANCE |
| Pass | Fail | Excessive Rattles |
| Pass | Fail | General Tightness of Vehicle |
| Pass | Fail | Excessive Wind Drafts |
| | | FOLLOWING ROAD TEST |
| Pass | Fail | Trip Odometer Accuracy Note Mileage |
| Pass | Fail | Odometer Reading Total Mileage Driven |
| Pass | Fail | Automatic Transmission Parking Detent |
| Pass | Fail | Automatic Transmission Driveline Slop |
| Pass | Fail | Parking Brake Ability |
| Pass | Fail | Power Steering Ability |
| | | STOP ENGINE |
| Pass | Fail | Check for "Dieseling" |
| Pass | Fail | Coolant Leaks |
| Pass | Fail | Fuel Leaks |
| Pass | Fail | Oil Leaks (Engine and Transmission) |
| Pass | Fail | Brake Fluid Leaks (Master Cylinder and Calipers) |
| Pass | Fail | Power Steering Fluid (Pump and Slave Cylinder) |
| Pass | Fail | Loose & Missing Parts |
| Pass | Fail | Unusual Occurrences |
| | | END OF TEST |
| Da | mma c | |
| rerio | manc | e Verifier: Test: Dess Fail |
| | | (signature) |